


Largest range of silicagel breathers Radiator valves 50, 80 mm Butterfly Valve




## INTRODUCTION



Founded by Mr. N.P. Patel, Gajanan Electromech has been a trusted name in the industrial power sector for 25 years. Specializing in premium Radiator valves, Silica-gel breathers, bushings and insulators we serve leading energy companies like Torrent Power, MGVCL, Indian Oil,Atlanta Electricals and ABB, delivering innovative and cost-effective solutions.

Model	Silica Gel Content	Transfomer Ratingin KVA	Oil Content in Litre	Pipe Connection B.S.P. Threads	Max. H in mm Clear	Max. D in mm Type	Max. H. in mm Metal	Max. D. in mm Type
RT/1 (DTO)	125 * gram	200	300	1/2"	135	85	130	100
RT/2 (DTO 1)	250 * gram	300	450	1/2"	185	85	180	100
RT/3 (DTO 2)	500 * gram	500	750	1/2"	185	120	<u>240</u> 175	100 130
RT/4 (DTO 3) HPO-A	1 * kg	2000	1400	1/2"	295	120	255 180	130 165
RT/5 (DTO 4) HPO-B	1.5 * kg	5000	3000	1/2"/3/4"	405	120	235	165
RT/6	2 kg	6500	5000	TF/3/4"	515	120	280	165
RT/7 (DTO 5 HPO-C)	3 kg	7000	7500	TF	430	170	315	225
RT/8 (DTO 6 HPO-D)	5 kg	10,000	15000 KVA	TF	630	170	365	225
RT/9 (DTO 7)	6 kg	15,000	15000	TF	730	170	415	225
* With Nylon Top & TF = 1" BSP Threaded & Flanged Bottom Cover With ø 115, PCD 83mm Hole ø 12mm x 4 No								4 No



Breathing is the process in which the Transformer take air inside or pushes it outside, The silical Gel Breather helps in dehumidifying the air and also remove foreign impurities from the air. The Breather is connected to the transformer by either threaded or flanged portion.

The Gel content or the size of the Breather is Determined by the Volume of air Passing Through the Breather the oil Contents of the Transformer and the Atmospheric Conditions at the Place of Installation. Hence the Transformers Manufacturer the Ultimate user Should Decide the size of Breather that would suit his Transformer.

However, for General Guidance we give below the recommended size of breather for Various transformers ratings alongwith the Corresponding Oil Contents.

# SILICA GEL BREATHER

### **CLEAR VIEW TYPE**

Entire mass of silicagel is visible from very long distance complete range from 0.60Kg to 15 Kg







1 Kg.



2 Kg.



5 Kg.

### **METAL TYPE**

We are giving porosity free aluminium sheet metal body with good strength and finishing













### **SPECIAL TYPE**



CLEAR
125 gm



CLEAR
250 gm



Breather for chemical industry




Flange type powder coated



Breather in cobalt free orange breads

500 gm

#### **RADIATOR VALVE**





Butterfly Valve (Plane Flange)



Butterfly Valve (With L groove)



50 mm Butterfly Valve (With L groove)

#### **AUTHORISED MARKETING REPRESENTATIVE**

Authorized supplier of HV LV Bushings , Epoxy Tap changer boards , Terminal Plates , CTs And Vts , Control Transformers , Seal off Bushings and Wall through Bushings Tap changer arms



## **ESTEEMED CLIENTS**



























- 264, Estate, GIDC, Waghodia, Gujarat 391760
- 91-2668-263737 +918141333933
- https://www.gajananemech.in/
- nilesh@rinutransco